



This test report contains the following sections: Chain of Custody, Report, and FAQ.

Project No.: LAB TECH

Name: Joh	n Doe	Dat	Date sampled: 5/16/2017			
Project Addre	222 Main St Anywhere, CA 77700	Cel	^{Cell phone:} 123-456-7890			
Email my rep	^{ort to:} john.doe@email.com		Please analyze samples for: Mold Asbestos Select only 1 option			
	S [*] . Please place each sample in a separate ziplock bag, label outside of bag with sample nun il based on the turnaround time selected below. If no email is provided a hard copy of repo					
Sample #	Complete antique / Description		Yab, Tape Fees: \$35(results issued within 2-3 biz days) / \$55(rustrange) results issued same day lab receives specimens)			
Example	Kitchen cabinet	Tape Lif	ft \$35			
#1	Bathroom	Bulk	\$35/\$55			
#2	Bathroom Wall	Bulk				
#3	Texture Ceiling	Bulk	\$35/\$55			
#4	TSI	Bulk	× 0°0°			
#5	Vinyl Sheeting	Bulk	\$35/\$55			
Notes:		Total: \$17				
Released by (your signature):		Date shipped: 5/16/2017			
AYMENT: Name on card:	Exp. date:	3 digit code:	billing zip code for card:			
Card number:						
	Received Date Stamp	Lab Job	#s			

Submitted By: John Doe | Submittal Date: 5/1/2017 1:47 PM | Sample Date: 5/16/2017 | Lab Job No.: 17-1267

Results apply only to samples tested. Results may not be reported or reproduced except in full without written approval of Moldlab. All samples were received in acceptable condition unless noted in the Tech Notes section. Field blank correction of results is not applied. An estimate of measurement uncertainty is provided on request. Moldlab assumes no responsibility for sample collection or handling prior to receipt at the laboratory. This report does not express or imply interpretation of the results contained herein. LAB0137 by the Texas Dept. of State Health Services

HUB

Approved by:





meldlab

2501 Mayes Rd #110 Carrollton, Texas 75006 P - (972)-820-9373 Toll Free (866)-416-MOLD Website - www.moldlab.com

Certified

WBENO:

GSA Contract Holder

CLIENT INFORMATION John Doe and Associates, Inc. Jane Doe 123 Any Street Old Town, Texas 77444 Anywhere, California 77700 Project No.: LAB TECH

Report Test code 7: PLM EPA 600/R-93/116 and/or EPA-600/M4-82-020 Method



This test report contains the following sections: Chain of Custody, Report, and FAQ

Sample				<u>Asbestos</u>	Non-Asbestos			Point
Identifier*	Location	Layer Type	Characteristics		Fibrous Nor	-Fibrous	Comments	Count
1-1-a	Bathroom	Floor Tile	Homog., Black, Fib.	4% Chrysotile		96%		
1-1-b	Bathroom	Mastic	Homog., Black, Fib.	2% Chrysotile		98%		
2-1-a	Bathroom Wall	Joint Comp.	Homog., Cream, Fib.	2% Chrysotile		98%		1.25%
2-1-b	Bathroom Wall	Drywall	Homog., Multi, Fib.	NAD	10% Cellulose	90%		
3-1-a	Texture Ceiling	Texture	Homog., White, Fib.	NAD	5% Cellulose	95%		
4-1-a	TSI	TSI	Homog., White, Fib.	15% Chrysotile		80%		
				5% Amosite				
5-1-a	Vinyl Sheeting	Vinyl Sheeting	Homog., Multi, Fib.	NAD	20% Cellulose	77%		
					3% Synthetic			

Tech Notes:

Page 1 | 1

Submitted By: John Doe | via: U.S. Mail | Submittal Date: 5/1/2017 | Sample Date: 5/16/2017 | Report Date: 5/19/2017 | Lab Job No.: 17-1267 | Analyst: Luis Bustillos

'NAD' indicates 'No Asbestos Detected'. Results only apply to samples tested. All samples were received in acceptable condition unless noted in the sample comment section. Results may not be reported or reproduced, except in full, without prior written approval from Moldlab, Ltd. Moldlab, Ltd. assumes no responsibility for sample collection or handling prior to receipt at the laboratory. The test report should not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other agency of the U.S. government. Estimated uncertainty of measurement data is available upon request. Samples will be disposed of 90 days after the results have been reported. * The sample identified is the Client Sample Number followed by the Lab Sample Number followed by a letter to indicate the layer.

LAB300431 by the Texas Department of State Health Services

Test Code 7 Report Rev. 0 Analyst / Approved

Signatory Signature:

Luis Bustillos, **Technical Manager**

2501 Mayes Rd #110 Carrollton, Texas 75006 P - (972) 820-9373 Toll Free (866) 416-6653 Website - www.moldlab.com CLIENT INFORMATION John Doe and Associates, Inc. Jane Doe 123 Any Street Old Town, Texas 77444 Anywhere, California 77700 Project No.: LAB TECH



This test report contains the following sections: Chain of Custody, Report, and FAQ.

What is asbestos?

Asbestos is a group of naturally occurring fibrous minerals. It is strong, non-flammable, and an electrical insulator. These properties and others make it very useful for many purposes. Six different types of asbestos are regulated in the U.S.: Chrysotile, Amosite, Crocidolite, Anthophyllite, Actinolite, and Tremolite.

What is the Federal Government's definition of asbestos containming material (ACM)?

Any material containing more than 1% asbestos is considered ACM by the federal government. Many companies use this standard to determine whether a sample is 'positive' or 'negative' for asbestos. However, this standard may or may not be appropriate for your use. Various state and local regulations may apply a more stringent standard.

What should I do if I have asbestsos containing material?

Contact your state's representative for asbestos issues. If your state doesn't have an asbestos representative, contact the federal governement's asbestos representative. Websites with the contact information for these representatives are provided at the bottom of this FAQ.

Do I have a problem if my sample is asbestos containing material?

If the material is in great condition and is not disturbed, you do not have an immediate problem. However, the material could become a problem in the future if the material deteriorates in condition or becomes disturbed. If the material is in bad shape, or if it is disturbed, there is a possibility that you have a problem. The likelihood of a problem increases as the condition deteriorates and as the material is disturbed.

Should I follow the Federal Government's guidelines or my State's guidelines?

Since your State's guidelines will be more stringent, you should follow your State's guidelines.

Where can I learn more about Asbestos?

We have many websites listed here that can help you to learn more. Please see the sections below.

U.S. Federal Government Websites

Centers for Disease Control and Prevention (CDC) The National Institute for Occupational Safety and Health (NIOSH) https://www.cdc.gov/niosh/topics/asbestos/default.html

United States Consumer Product Safety Commission (CSPC) https://www.cpsc.gov/safety-education/safety-guides/home/asbestos-home

United States Environmental Protection Agency (EPA) https://www.epa.gov/asbestos/protect-your-family

United States Environmental Protection Agency (EPA) https://www.epa.gov/sites/production/files/documents/asbestosfaqs_0.pdf

United State Environmental Protection Agency (EPA) https://www.epa.gov/asbestos

Page 1 | 5

Submitted By: John Doe | via: U.S. Mail | Submittal Date: 5/1/2017 | Sample Date: 5/16/2017 | Report Date: 5/19/2017 | Lab Job No.: 17-1267

Results may not be reported or reproduced, except in full, without prior written approval from Moldlab, Ltd. Moldlab, Ltd. assumes no responsibility for sample collection or handling prior to receipt at the laboratory. The test report should not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other agency of the U.S. government. Estimated uncertainty of measurement data is available upon request. Samples will be disposed of 90 days after the results have been reported.



2501 Mayes Rd #110 Carrollton, Texas 75006 P - (972) 820-9373 Toll Free (866) 416-6653 Website - www.moldlab.com

United States Environmental Protection Agency (EPA) State Demolition Information https://www.epa.gov/large-scale-residential-demolition/state-demolition-information

United States Environmental Protection Agency (EPA) State Asbestos Contacts https://www.epa.gov/asbestos/state-asbestos-contacts

United States Department of Labor Occupational Safety and Health Administration (OSHA) https://www.osha.gov/SLTC/asbestos/ https://www.osha.gov/Publications/OSHA3507.html https://www.osha.gov/SLTC/asbestos//hazards.html

Washington, D.C. Department of Energy Environment https://doee.dc.gov/service/asbestos-laws-and-regulations

Canadian Government Website

Canadian Centre for Occupational Health and Safety https://www.ccohs.ca/oshanswers/chemicals/asbestos/home.html

U.S. State Government Websites

Alabama Department of Environmental Management http://www.adem.state.al.us/default.cnt

Alaska Department of Environmental Conservation (DEC) Division of Air Quality http://dec.alaska.gov/air/anpms/Asbestos/Asbhome.htm

Arkansas Department of Environmental Quality (ADEQ) https://www.adeq.state.ar.us/air/program/asbestos/pdfs/asbestos_in_your_home.pdf

Arizona Department of Environmental Quality (ADEQ) http://legacy.azdeq.gov/environ/air/asbestos/

State of California Department of Industrial Relations http://www.dir.ca.gov/dosh/acru/acruresources.htm

Colorado Department of Public Environment (CDPHE) https://www.colorado.gov/pacific/cdphe/asbestos-containing-household-wastes

State of Connecticut Department of Public Health (DPH) http://www.ct.gov/dph/cwp/view.asp?a=3140q=417040dphNav_GID=1889

Page 2 | 5

Submitted By: John Doe | via: U.S. Mail | Submittal Date: 5/1/2017 | Sample Date: 5/16/2017 | Report Date: 5/19/2017 | Lab Job No.: 17-1267

Results may not be reported or reproduced, except in full, without prior written approval from Moldlab, Ltd. Moldlab, Ltd. assumes no responsibility for sample collection or handling prior to receipt at the laboratory. The test report should not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other agency of the U.S. government. Estimated uncertainty of measurement data is available upon request. Samples will be disposed of 90 days after the results have been reported.



2501 Mayes Rd #110 Carrollton, Texas 75006 P - (972) 820-9373 Toll Free (866) 416-6653 Website - www.moldlab.com

State of Delaware

Division of Air Quality http://www.dnrec.delaware.gov/air/Pages/Homeowners.aspx

Florida Department of Environmental Protection http://www.dep.state.fl.us/air/emission/asbestos.htm

Georgia Department of Natural Resources Environmental Protection Division https://epd.georgia.gov/asbestos-technical-guidance

State of Hawaii, Department of Health Indoor and Radiological Health Branch http://health.hawaii.gov/irhb/asbestos/

Idaho Department of Environmental Quality http://www.deq.idaho.gov/air-quality/air-pollutants/air-toxics/asbestos/

Illinois Environmental Protection Agency http://www.epa.illinois.gov/topics/air-quality/asbestos/house-or-apt/index

Indiana Department of Environmental Management (IDEM) http://www.in.gov/idem/airquality/2582.htm http://www.in.gov/idem/health/files/asbestos_homeowner_disposal_guidance.pdf

Iowa Department of Natural Resources (DNR) http://www.iowadnr.gov/Environmental-Protection/Air-Quality/Asbestos-Training-Fires

Kansas Department of Health and Environment Bureau of Air http://www.kdheks.gov/asbestos/download/asbestos-factsheet-homeowners.pdf

Commonwealth of Kentucky Energy and Environmental Cabinet Department for Environmental Protection http://air.ky.gov/pages/asbestosinformation.aspx

Maryland Department of the Environment (MDE) http://mde.maryland.gov/programs/Air/Asbestos/Documents/FAQ Homeowners 2015.pdf

Massachusetts Energy and Environmental Affairs (EEA) http://www.mass.gov/eea/agencies/massdep/air/programs/answers-to-common-asbestos-questions.html http://www.mass.gov/eea/agencies/massdep/air/programs/asbestos.html http://www.mass.gov/eea/agencies/massdep/recycle/hazardous/asbestos.html

Michigan Department of Licensing and Regulatory Affairs (LARA) http://www.michigan.gov/lara/0,4601,7-154-11407_15333_15369-41734--,00.html

Page 3 | 5

Submitted By: John Doe | via: U.S. Mail | Submittal Date: 5/1/2017 | Sample Date: 5/16/2017 | Report Date: 5/19/2017 | Lab Job No.: 17-1267

Results may not be reported or reproduced, except in full, without prior written approval from Moldlab, Ltd. Moldlab, Ltd. assumes no responsibility for sample collection or handling prior to receipt at the laboratory. The test report should not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other agency of the U.S. government. Estimated uncertainty of measurement data is available upon request. Samples will be disposed of 90 days after the results have been reported.

2501 Mayes Rd #110 Carrollton, Texas 75006 P - (972) 820-9373 Toll Free (866) 416-6653 Website - www.moldlab.com

This test report contains the following sections: Chain of Custody, Report, and FAQ.

Michigan Department of Environmental Quality http://www.michigan.gov/deq/0,4561,7-135-3310 4106-11856--,00.html

Minnesota Department of Health http://www.health.state.mn.us/divs/eh/asbestos/homeowner/ http://www.health.state.mn.us/divs/eh/asbestos/homeowner/asbinhomes.html

Mississippi Department of Environmental Quality http://www.deg.state.ms.us/MDEQ.nsf/\$\$SearchTemplateDefault?OpenFormQueryStr=asbestos

Missouri Department of Natural Resources https://dnr.mo.gov/env/apcp/asbestos/

Montana Department of Environmental Quality (DEQ) http://deq.mt.gov/Public/asbestos/acpasbestosinhomes

Nebraska Department of Health Human Services http://dhhs.ne.gov/publichealth/Pages/enh_asbestos_index.aspx

Nevada Division of Environmental Protection https://www.leg.state.nv.us/NRS/NRS-618.html#NRS618Sec750

New Hampshire Department of Environmental Services https://www.des.nh.gov/organization/divisions/air/cb/ceps/ams/index.htm

State of New Jersey Department of Health http://www.state.nj.us/health/ceohs/asbestos/asbestos-faq/

New Mexico Environment Department https://www.env.nm.gov/aqb/asbestos/documents/Asbestos_FAQs_2013.pdf https://www.env.nm.gov/air-quality/asbestos-2/

New York State Department of Health https://www.health.ny.gov/environmental/indoors/asbestos/homeowners.htm

North Carolina Department of Health and Human Services Division of Public Health http://epi.publichealth.nc.gov/oee/a_z/asbestos.html

North Dakota Department of Health https://www.ndhealth.gov/aq/iaq/asb/geninfo.htm

Ohio Department of Health https://www.odh.ohio.gov/-/media/ODH/ASSETS/Files/eh/asbestos/Homeowners.pdf

Oklahoma Department of Labor Asbestos Division https://www.ok.gov/odol/documents/AsbestosFAQ.pdf

Page 4 | 5

Submitted By: John Doe | via: U.S. Mail | Submittal Date: 5/1/2017 | Sample Date: 5/16/2017 | Report Date: 5/19/2017 | Lab Job No.: 17-1267

Results may not be reported or reproduced, except in full, without prior written approval from Moldlab, Ltd. Moldlab, Ltd. assumes no responsibility for sample collection or handling prior to receipt at the laboratory. The test report should not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other agency of the U.S. government. Estimated uncertainty of measurement data is available upon request. Samples will be disposed of 90 days after the results have been reported.



2501 Mayes Rd #110 Carrollton, Texas 75006 P - (972) 820-9373 Toll Free (866) 416-6653 Website - www.moldlab.com

This test report contains the following sections: Chain of Custody, Report, and FAQ.

Oklahoma Department of Environmental Quality http://www.deg.state.ok.us/AQDNew/asbestos/index.htm

Oregon Department of Environmental Quality http://www.oregon.gov/deq/Hazards-and-Cleanup/Pages/Asbestos-for-Homeowners.aspx

Pennsylvania Department of Environmental Protection http://www.dep.pa.gov/Business/Air/BAQ/BusinessTopics/Pages/Asbestos.aspx

State of Rhode Island Department of Health http://health.ri.gov/healthrisks/poisoning/asbestos/for/homeowners/

South Carolina Department of Health and Environmental Control http://www.scdhec.gov/HomeAndEnvironment/YourHomeEnvironmentalandSafetyConcerns/AsbestosInfoforHomeowners/

South Dakota Department of Environment and Natural Resources https://denr.sd.gov/des/wm/asb/Documents/AsbestosBrochure08.pdf

Tennessee Department of Health https://www.tn.gov/health/article/asbestos

Texas Health and Human Services Texas Department of State Health Services (TDSHS) http://www.dshs.texas.gov/asbestos/default.aspx

Utah Department of Environmental Quality https://deq.utah.gov/ProgramsServices/programs/air/asbestos/index.htm

Vermont Department of Health http://www.healthvermont.gov/health-environment/asbestos-lead-buildings/asbestos

The Virginia Department of Labor and Industry http://www.doli.virginia.gov/leadasbestos/leadasbestos_faqs_p1.html

Washington State Department of Health http://www.doh.wa.gov/YouandYourFamily/HealthyHome/Contaminants/Asbestos

West Virginia Department of Environmental Protection http://www.dep.wv.gov/DAQ/CANDE/Pages/AsbestosRemovalandDemolition.aspx

Wisconsin Department of Health Services https://www.dhs.wisconsin.gov/asbestos/index.htm

Page 5 | 5

Submitted By: John Doe | via: U.S. Mail | Submittal Date: 5/1/2017 | Sample Date: 5/16/2017 | Report Date: 5/19/2017 | Lab Job No.: 17-1267

Results may not be reported or reproduced, except in full, without prior written approval from Moldlab, Ltd. Moldlab, Ltd. assumes no responsibility for sample collection or handling prior to receipt at the laboratory. The test report should not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any other agency of the U.S. government. Estimated uncertainty of measurement data is available upon request. Samples will be disposed of 90 days after the results have been reported.



2501 Mayes Rd #110 Carrollton, Texas 75006 P - (972) 820-9373 Toll Free (866) 416-6653 Website - www.moldlab.com